

Hegrecat® LA141

General Description

Hegrecat® LA141 catalyst is a mild trimerization catalyst used in a wide variety of rigid polyurethane and polyisocyanurate foam and non-foam applications. Chemically, it is triazine product and is recommended for use as a co-catalyst with other polyurethane and polyisocyanurate catalysts

Product Property

- Excellent blowing capability
- Excellent performance in water co-blown rigid systems;
- Accelerated gel and cure provide improved cur3 of rigid PUR systems;
- Delayed front-end activity compared with strong blowing catalysts

Applications

LA141 is used in a wide variety of rigid polyurethane and polyisocyanurate foam and non-foam applications such as appliance and construction application

Typical Physical Property

Appearance	Colorless Liquid
Viscosity at 25°C	33
Specific Gravity at 25°C [g/cm]	0.95
Water Solubility	Soluble
Calculated OH number [mgKOH/g]	0

Storage and package Information

HeJia Chemical recommends that our catalysts be stored in a dry and cool area under appropriate ventilation conditions. Each container should be closed tightly to avoid contamination with moisture or other negative influences, which could change the products' performance in the end use. 180kgs per steel drum.

Shelf Life

36 months from the date of production

Disclaimer

The information contained in this TDS is believed to be accurate to the best of Hejia Chemical's knowledge and belief at the time of the TDS publication. The information is intended to be used as a guideline and for informational purpose only. Consequently we do not warrant that the information or the related products are fit for any particular purpose or use by users and it is user's responsibility to test and confirm the fitness of the product.

Hejia shall NOT BE LIABLE, whether contractually or in tort, for damages caused through the use or the reliance on this information and/or the related products.